

CS 341: ALGORITHMS

Lecture 14: graph algorithms V – single source shortest path

Readings: see website

Trevor Brown

<https://student.cs.uwaterloo.ca/~cs341>

trevor.brown@uwaterloo.ca

DIJKSTRA'S ALGORITHM

Single-source shortest path
in a graph with **non-negative edge weights**

PROBLEM: SINGLE SOURCE SHORTEST PATHS (SSSP)


- Input: graph $G = (V, E)$ and a **non-negative** weight function $w(e)$ defined for every edge e

Let's study directed G .
Can also be defined for undirected G ...


- Problem: **for every node** $v \neq s$, output a path $s \rightsquigarrow v$ with the **smallest total weight** (among all paths $s \rightsquigarrow v$)

"Shortest" means minimum weight

- I.e., **each** path P should minimize $w(P) = \sum_{e \in P} w(e)$



APPLICATION: DRIVING DISTANCE TO **MANY** POSSIBLE DESTINATIONS



- Single source: from where you are
- Shortest paths: to **all** destinations
 - Display a subset of destinations
 - Include the optimal distances computed using SSSP algorithm
- Other heuristics... traffic? Lights?
 - **Weights** can combine many factors

[video clip]

Game AI:
path finding
with waypoints


Divide game world
into **linear paths**,
then send game
characters in
straight lines
between
waypoints

If some linear paths
are much
faster/slower, use
weighted SSSP

Otherwise use BFS to find shortest sequence
of waypoints (with **fewest** waypoints)

DIJKSTRA'S ALGORITHM

ILLUSTRATIVE EXAMPLE



```

1 Dijkstra(adj[1..n], s)
2   pred[1..n] = [null, null, ..., null]
3   dist[1..n] = [infty, infty, ..., infty]
4   pq = new priority queue
5
6   dist[s] = 0
7   for u = 1..n
8     pq.enqueue(u, dist[u])
9
10  while pq is not empty
11    u = pq.dequeueMin()
12    for v in adj[u]
13      if dist[u] + w(u,v) < dist[v]
14        dist[v] = dist[u] + w(u,v)
15        pred[v] = u
16        pq.changePriority(v, dist[v])
17
18  return pred, dist

```

Maintain nodes in priority order, ordered by smallest distance

Enqueue all nodes with distance ∞ except for s with distance 0


Eventually dequeue all nodes (no more enqueues)

Each dequeued node u has **optimal dist**

Relax neighbour v

CORRECTNESS: INTUITION

- Dijkstra's algorithm iteratively constructs a set ***OPT*** of nodes for which we **know** the shortest path from ***s*** (initially ***OPT*** = {***s***})
 - After each relaxation step, we grow ***OPT*** by adding the node in **$V \setminus \mathbf{OPT}$** with the smallest ***dist***




PROOF

- **Theorem:** At the end of the algorithm, for all u , $dist[u]$ is exactly the total weight of the shortest $s \rightsquigarrow u$ path
- We prove this in two parts
 - $dist[u] \leq$ the total weight of the shortest $s \rightsquigarrow u$ path (case \leq)
 - $dist[u] \geq$ the total weight of the shortest $s \rightsquigarrow u$ path (case \geq)


CASE \leq [ERICKSON THM.8.5]

- Let P be **any arbitrary** $s \rightsquigarrow u$ path $v_0 \rightarrow v_1 \rightarrow \dots \rightarrow v_\ell$ where $v_0 = s$ and $v_\ell = u$
- For any index j let L_j denote $w(v_0 \rightarrow v_1 \rightarrow \dots \rightarrow v_j)$
- We prove by induction: $dist[v_j] \leq L_j$ for all j



- Prove by induction: $\forall j : dist[v_j] \leq L_j$
- Base case: $dist[v_0] = dist[s] = 0 = L_0$
- Ind. step: **suppose** $\forall_{j>0} : dist[v_{j-1}] \leq L_{j-1}$

$w(\text{orange edges}) = L_j$



- When dequeueMin() returns v_{j-1} : we **check** if $dist[v_{j-1}] + w(v_{j-1}, v_j) < dist[v_j]$
- If so, we **set** $dist[v_j] = dist[v_{j-1}] + w(v_{j-1}, v_j)$
- If not, $dist[v_j] \leq dist[v_{j-1}] + w(v_{j-1}, v_j)$
- In **both cases**, $dist[v_j] \leq dist[v_{j-1}] + w(v_{j-1}, v_j)$
 - By I.H. $dist[v_{j-1}] \leq L_{j-1}$ so $dist[v_j] \leq L_{j-1} + w(v_{j-1}, v_j)$
 - And $L_{j-1} + w(v_{j-1}, v_j) = L_j$ by definition
 - **So $dist[v_j] \leq L_j$**

This proves $dist[u] \leq L_u$,
the weight of an
arbitrary $s \rightsquigarrow u$ path.

So $dist[u] \leq$ the weight of EVERY $s \rightsquigarrow u$ path.

Including the shortest $s \rightsquigarrow u$ path!

CASE \geq

- Let P' be the path $s \rightarrow \dots \rightarrow \text{pred}[\text{pred}[u]] \rightarrow \text{pred}[u] \rightarrow u$
 - I.e., the reverse of following *pred* pointers from u back to s
- We show $\text{dist}[u]$ is as long as **this** path (and hence as long as the **shortest** path)
- Denote the nodes in P' by v_0, v_1, \dots, v_ℓ where $v_0 = s$ and $v_\ell = u$
- Let $L_j = w(v_0 \rightarrow v_1 \rightarrow \dots \rightarrow v_j)$
- **Prove by induction:** $\forall_{j>0} : \text{dist}[v_j] = L_j$
- Base case: $\text{dist}[v_0] = \text{dist}[s] = 0 = L_0$

CASE \geq

- $P' = v_0 \rightarrow \dots \rightarrow v_\ell = s \rightarrow \dots \rightarrow \text{pred}[\text{pred}[u]] \rightarrow \text{pred}[u] \rightarrow u$
- $L_j = w(v_0 \rightarrow v_1 \rightarrow \dots \rightarrow v_j)$
- **Inductive step:** suppose $\forall_{j>0} : \text{dist}[v_{j-1}] = L_{j-1}$
- When we set $\text{pred}[v_j] = v_{j-1}$, we set $\text{dist}[v_j] = \text{dist}[v_{j-1}] + w(v_{j-1}, v_j)$

Recall:

```
if dist[u] + w(u,v) < dist[v]
    dist[v] = dist[u] + w(u,v)
    pred[v] = u
```

So $\text{dist}[u]$ = length of a **particular path P'** in the graph

And length of P' is \geq length of **shortest path**

So $\text{dist}[u] \geq$ length of **shortest** path $s \rightsquigarrow u$

So $\text{dist}[u]$ is both \leq and \geq to the length of the shortest $s \rightsquigarrow u$ path!

That means it's **equal** to the length of the shortest path!

- By I.H., $\text{dist}[v_j] = L_{j-1} + w(v_{j-1}, v_j)$
- By definition $L_j = L_{j-1} + w(v_{j-1}, v_j)$
- So $\text{dist}[v_j] = L_j$

RUNTIME

```
1 Dijkstra(adj[1..n], s)
2   pred[1..n] = [null, null, ..., null]
3   dist[1..n] = [infty, infty, ..., infty]
4   pq = new priority queue
5
6   dist[s] = 0
7   for u = 1..n
8     pq.enqueue(u, dist[u])
9
10  while pq is not empty
11    u = pq.dequeueMin()
12    for v in adj[u]
13      if dist[u] + w(u,v) < dist[v]
14        dist[v] = dist[u] + w(u,v)
15        pred[v] = u
16        pq.changePriority(v, dist[v])
17
18  return pred, dist
```

$O(n)$

$O(\log n)$

$O(n \log n)$

$O(\log n)$

$O(\log n)$

Space complexity?

- Each node enqueued and dequeueMin'd once
 - $O(n \log n)$
- For each dequeueMin, do $O(\log n)$ per neighbour
 - $O(\log n)$ for **each edge**
 - $O(m \log n)$ w/adjacency lists
- Total time $O((n + m) \log n)$**

OUTPUTTING ACTUAL SHORTEST PATH(S)?

- To compute the actual shortest **path** $s \rightsquigarrow t$
- Inspect $pred[t]$
 - If it is NULL, there is no such path
 - Otherwise, follow $pred$ pointers back to s , and return the **reverse** of that path

```

1  Dijkstra(adj[1..n], s)
2      pred[1..n] = [null, null, ..., null]
3      dist[1..n] = [infty, infty, ..., infty]
4      OPT = [false, false, ..., false]
5
6      dist[s] = 0
7      OPT[s] = true
8      numOpt = 1
9
10     while numOpt < n
11         choose u such that OPT[u] == false
12             and dist[u] is minimized
13         OPT[u] = true
14         numOpt = numOpt + 1
15         for v = adj[u]
16             if dist[u] + w(u,v) < dist[v]
17                 dist[v] = dist[u] + w(u,v)
18                 pred[v] = u
19
20     return pred, dist

```

AN ALTERNATIVE IMPLEMENTATION

- Instead of using a **priority queue**
- Find the minimum dist[] node to add to OPT via **linear search**
- **Runtime?**
 - $O(n^2)$
- **Better or worse than $O((n + m) \log n)$?**

WEBSITE DEMONSTRATING DIJKSTRA'S ALG

- <https://www.cs.usfca.edu/~galles/visualization/Dijkstra.html>

BELLMAN-FORD

Single-source shortest path
in a graph with possibly **negative** edge weights
but **no negative cycles**

Shortest Paths and Negative Weight Cycles

Subsequent algorithms we will be studying will solve shortest path problems as long as there are no cycles having negative weight.

If there is a negative weight cycle, then there is no shortest path (why?).

There is still a shortest simple path, but there are apparently no known efficient algorithms to find the shortest simple paths in graphs containing negative weight cycles.

If there are no negative weight cycles, we can assume WLOG that shortest paths are simple paths (any path can be replaced by a simple path having the same weight).

Negative weight edges in an undirected graph are not allowed, as they would give rise to a negative weight cycle (consisting of two edges) in the associated directed graph.

BELLMAN-FORD

The *Bellman-Ford algorithm* solves the single source shortest path problem in any directed graph without negative weight cycles.

The algorithm is very simple to describe:

Repeat $n - 1$ times: *relax* every edge in the graph (where *relax* is the updating step in Dijkstra's algorithm).

```
1 BellmanFord(n, E[1..m], s)
2   pred[1..n] = new array filled with null
3   D[1..n] = new array filled with infinity
4   D[s] = 0
5   for i = 1..n
6     for (u,v,w) in E
7       if D[u] + w < D[v]
8         D[v] = D[u] + w
9         pred[v] = u
10  return (D, pred)
```

$O(n)$

$O(n)$

$O(1)$

$O(n)$ outer iterations

$O(m)$ inner iterations **per** outer iteration



$O(1)$ work per inner iteration

Could be $O(n^3)$

Total $O(nm)$

BEST CASE EXECUTION

It technically suffices to do one iteration of the outer loop




Edges *happen* to be processed **left to right** by the inner loop

```
1 BellmanFord(n, E[1..m], s)
2   pred[1..n] = new array filled with null
3   D[1..n] = new array filled with infinity
4   D[s] = 0
5   for i = 1..n
6     for (u,v,w) in E
7       if D[u] + w < D[v]
8         D[v] = D[u] + w
9         pred[v] = u
10  return (D, pred)
```

WORST CASE EXECUTION

Need n iterations of outer loop



Edges *happen* to be processed **right to left** by the inner loop

```
1 BellmanFord(n, E[1..m], s)
2   pred[1..n] = new array filled with null
3   D[1..n] = new array filled with infinity
4   D[s] = 0
5   for i = 1..n
6     for (u,v,w) in E
7       if D[u] + w < D[v]
8         D[v] = D[u] + w
9         pred[v] = u
10  return (D, pred)
```

Since the longest possible path without a cycle can be $n - 1$ edges, the edges must be scanned $n - 1$ times to ensure the shortest path has been found for all nodes.

Dijkstra's is similar, but *consistently* achieves good ordering using its priority queue

WHY BELLMAN-FORD WORKS

- **Not** going to prove this (by induction), but the crucial **lemma** is:
 - After i iterations of the outer *for*-loop,
 - if $D[u] \neq \infty$, it is equal to the weight of some path $s \rightsquigarrow u$; **and**
 - if there is a path $P = (s \rightsquigarrow u)$ with **at most i edges**, then $D[u] \leq w(P)$
- So, after $n - 1$ iterations, if \exists path P with at most $n - 1$ edges, then $D[u] \leq w(P)$. (Note: any *more* edges would create a cycle.)
- So, if u is reachable from s , then $D[u]$ is the length of the shortest simple path (no cycles) from s to u

Of course every simple path has at most $n - 1$ edges

So what if we do **another iteration**, and some $D[u]$ improves?

There is a negative cycle!

```

1 BellmanFordCheck(n, E[1..m], s)
2   pred[1..n] = new array filled with null
3   D[1..n] = new array filled with infinity
4   D[s] = 0
5   for i = 1..n
6     changed = false
7     for (u,v,w) in E
8       if D[u] + w < D[v]
9         D[v] = D[u] + w
10        pred[v] = u
11        changed = true
12    if not changed
13      exit loop
14    if i == n // assert: changed == true
15      return NEGATIVE_CYCLE
16  return (D, pred)

```

A MORE DETAILED IMPLEMENTATION

- With early stopping
- and checking for negative cycles

BONUS SLIDE

- Why can't you just modify a graph with negative weights by: finding the minimum edge weight W_{\min} , and adding that to each edge, so you no longer have negative edges and can run Dijkstra's algorithm?
- **Exercise:** can you find a graph for which this will cause Dijkstra's algorithm to return the **wrong answer**?
- **Solution:**
 - Consider a graph with 5 nodes: s, a, b, c, t
 - And edges $s \rightarrow a$ with weight -10 , $b \rightarrow t$ with weight 10
 $s \rightarrow b$ weight -1 , $b \rightarrow c$ weight -1 , $c \rightarrow t$ weight -1
 - What happens if you modify this graph as proposed, then run Dijkstra's to find the shortest path from s to t ?