

CS 341: ALGORITHMS

Lecture 7: dynamic programming I

Readings: see website

Trevor Brown

<https://student.cs.uwaterloo.ca/~cs341>

trevor.brown@uwaterloo.ca

FINISHING UP GREEDY

INTERVAL COLOURING



PROBLEM: INTERVAL COLOURING


Instance: A set $\mathcal{A} = \{A_1, \dots, A_n\}$ of intervals.

For $1 \leq i \leq n$, $A_i = [s_i, f_i)$, where s_i is the **start time** of interval A_i and f_i is the **finish time** of A_i .

Feasible solution: A c -colouring is a mapping $col : \mathcal{A} \rightarrow \{1, \dots, c\}$ that assigns each interval a **colour** such that two intervals receiving the same colour are always disjoint.




Find: A c -colouring of \mathcal{A} with the **minimum number of colours**.

Example



7 intervals,
7 colours.
Feasible, but
not optimal

MORE EXAMPLES

Example	 <p>Diagram showing 7 intervals on a horizontal axis. The intervals are: [1, 3], [4, 5], [6, 9], [2, 4], [5, 6], [7, 8], and [8, 9]. The intervals [6, 9] and [8, 9] are the same color (indicated by a callout: "Same color, but not disjoint..."). The other intervals are colored differently.</p>	Not feasible!
Example	 <p>Diagram showing 7 intervals on a horizontal axis. The intervals are: [1, 3], [4, 5], [6, 9], [2, 4], [5, 6], [7, 8], and [8, 9]. The intervals [2, 4] and [4, 5] are the same color (indicated by a callout: "Same color, but disjoint. OK!"). The other intervals are colored differently.</p>	7 intervals, 6 colours. Feasible , but not optimal
Example	 <p>Diagram showing 7 intervals on a horizontal axis. The intervals are: [1, 3], [4, 5], [6, 9], [2, 4], [5, 6], [7, 8], and [8, 9]. All intervals are colored with only two colors: one color for [1, 3], [4, 5], [6, 9], [7, 8], and [8, 9]; and another color for [2, 4] and [5, 6].</p>	7 intervals, 2 colours. Optimal

Greedy Strategies for Interval Colouring

As usual, we consider the intervals one at a time.


At a given point in time, suppose we have coloured the first $i < n$ intervals using d colours.

We will colour the $(i + 1)$ st interval with **any permissible colour**. If it cannot be coloured using any of the existing d colours, then we introduce a **new colour** and d is increased by 1.

Question: In **what order** should we consider the intervals?


We will colour the $(i + 1)$ st interval with **any permissible colour**. If it cannot be coloured using any of the existing d colours, then we introduce a **new colour** and d is increased by 1.

EXAMPLE: ORDER MATTERS!




Consider intervals in the order they are given in the input:
 $A_1 \dots A_{10}$


EXAMPLE:
ORDER
MATTERS!




EXAMPLE:
ORDER
MATTERS!




EXAMPLE:
ORDER
MATTERS!




EXAMPLE:
ORDER
MATTERS!




EXAMPLE:
ORDER
MATTERS!




EXAMPLE:
ORDER
MATTERS!




EXAMPLE:
ORDER
MATTERS!



EXAMPLE:
ORDER
MATTERS!




EXAMPLE:
ORDER
MATTERS!



EXAMPLE: ORDER MATTERS!


Used **4** colours

Can we do better?




EXAMPLE: ORDER MATTERS!

Pre-sort intervals by
increasing start time!




EXAMPLE: ORDER MATTERS!


Pre-sort intervals by
increasing start time!




EXAMPLE:
ORDER
MATTERS!




EXAMPLE:
ORDER
MATTERS!




EXAMPLE:
ORDER
MATTERS!




EXAMPLE:
ORDER
MATTERS!




EXAMPLE:
ORDER
MATTERS!




EXAMPLE:
ORDER
MATTERS!




EXAMPLE:
ORDER
MATTERS!



EXAMPLE:
ORDER
MATTERS!




EXAMPLE:
ORDER
MATTERS!



EXAMPLE: ORDER MATTERS!

Used **3** colours

Turns out to be optimal...



d = # of colours used so far

$finish[c]$ = finish time of **last** interval to receive colour c

```
1 Preprocess(A[1..n])
2   sort A by increasing start time
3   let s[1..n] be the start times in A
4   let f[1..n] be the finish times in A
5   return GreedyIntervalColouring(s, f)
6
7 GreedyIntervalColouring(s[1..n], f[1..n])
8   d = 1
9   colour[1] = 1
10  finish[1] = f[1]
11
12  for i = 2..n
13    reused = false
14    for c = 1..d
15      if finish[c] <= s[i] then
16        colour[i] = c
17        finish[c] = f[i]
18        reused = true
19        break
20    if not reused then
21      d++
22      colour[i] = d
23      finish[d] = f[i]
24
25  return d
```

Interval 1 gets colour 1

For each interval A_i , search for an appropriate colour c

Check if we can reuse any colour c in $1..d$


Consider interval $A_i = (s_i, f_i)$. If $s_i \geq finish[c]$, then we can give A_i colour c without breaking feasibility

we reused a colour

If we didn't reuse a colour, use a **new colour**

Initial state

EXAMPLE: RUNNING GREEDY




$i=1$

$d=1$

$finish[1]=$

Code **before** the loop: just assign colour 1

EXAMPLE: RUNNING GREEDY




$i=2$

$d=2$

$finish[1]=$

While loop over c .
Check if we can
reuse a color in $1..d$

EXAMPLE: RUNNING GREEDY



$i=2$

$d=2$

$finish[1]=$

$finish[2]=$


While loop over c .
Check if we can
reuse a color in $1..d$

Is $finish[1] \leq s_2$?

No. We cannot
reuse colour 1.

Cannot reuse any
colour. Create a
new one!

EXAMPLE: RUNNING GREEDY



$i=3$


$d=2$

$finish[1]=$

$finish[2]=$

While loop over c .
Check if we can
reuse a color in $1..d$

EXAMPLE: RUNNING GREEDY



Is $finish[1] \leq s_3$?

No. We cannot
reuse colour 1.

Is $finish[2] \leq s_3$?

No. We cannot
reuse colour 2.

Cannot reuse any
colour. Create
new one.

$i=3$

$d=3$


$finish[1]=$

$finish[2]=$

$finish[3]=$

While loop over c .
Check if we can
reuse a color in $1..d$

EXAMPLE: RUNNING GREEDY



$i=4$

$d=3$

$finish[1]=$

$finish[2]=$


$finish[3]=$

Is $finish[1] \leq s_4$?

Yes. We **can** reuse colour 1.

While loop over c .
Check if we can reuse a color in $1..d$

EXAMPLE: RUNNING GREEDY



$i=4$

$d=3$

$finish[1]=$

$finish[2]=$


$finish[3]=$

Is $finish[1] \leq s_4$?

Yes. We **can** reuse colour 1.

While loop over c .
Check if we can reuse a color in $1..d$

EXAMPLE: RUNNING GREEDY



$i=5$

$d=3$


$finish[1]=$

$finish[2]=$

$finish[3]=$

While loop over c .
Check if we can
reuse a color in $1..d$

EXAMPLE: RUNNING GREEDY



$i=5$

$d=3$


$finish[1]=$

$finish[2]=$

$finish[3]=$

While loop over c .
Check if we can
reuse a color in $1..d$

EXAMPLE: RUNNING GREEDY




Correctness of the Algorithm

The correctness of this greedy algorithm can be proven inductively as well as by a “slick” method—we give the “slick” proof:


Let D denote the number of colours used by the algorithm.

Let F_D be the **first** interval that has **colour D**



Let F_D be the **first** interval that has **colour D**

We prove F_D **overlaps D-1 other intervals at a single point in time**



Let F_D be the **first** interval that has **colour D**


Let L_c be the **last** interval that has **colour c** and **starts before F_D**

We prove F_D **overlaps every interval L_c** for all $c < D$

Let's argue L_1 overlaps F_D

Note L_1 must exist
(otherwise greedy would just use colour 1 for F_D)

And $finish[L_1]$ must be **after**
 F_D starts (same reason)



Same argument applies to
 L_2, \dots, L_{D-1}

So, F_D overlaps $D - 1$ intervals!

Moreover, every interval in
 $\{L_1, \dots, L_{D-1}\}$ **contains the**
starting time of F_D

So, we **must** use D colours!

TIME COMPLEXITY?

```
1 Preprocess(A[1..n])
2   sort A by increasing start time
3   let s[1..n] be the start times in A
4   let f[1..n] be the finish times in A
5   return GreedyIntervalColouring(s, f)
6
7 GreedyIntervalColouring(s[1..n], f[1..n])
8   d = 1
9   colour[1] = 1
10  finish[1] = f[1]
11
12  for i = 2..n
13    reused = false
14    for c = 1..d
15      if finish[c] <= s[i] then
16        colour[i] = c
17        finish[c] = f[i]
18        reused = true
19        break
20    if not reused then
21      d++
22      colour[i] = d
23      finish[d] = f[i]
24
25  return d
```

$O(n \log n)$

$O(n)$ iterations

$O(d)$ iterations...

Total $O(n \log n + nd)$

Could be $O(n \log n)$ if only a constant number of colours are needed (or even $\log n$ colours!)

Could be $O(n^2)$ if n colours are needed

Most accurate complexity statement is $\Theta(n \log n + nD)$ where D is # colours used

What **inefficiencies** exist in this algorithm?
Could we make it faster with clever data structure usage?

IMPROVING THIS ALGORITHM


- Current greedy algorithm:
 - For each interval A_i , compare its start time s_i with the ***finish***[c] times of **all colours** introduced so-far
 - Why? Looking for **some** *finish*[c] time that is earlier than s_i
- We are doing **linear search**... Can we do better?
- Use a priority queue to keep track of the **earliest *finish***[c] at all times in the algorithm
 - Then we only need to look at **minimum element**

EXAMPLE: HEAP-BASED ALGORITHM

Min element: NULL

Heap

Initial state



EXAMPLE: HEAP-BASED ALGORITHM


Min element: NULL

Heap

Iteration i=1

Check heap
minimum

Empty, so a new
colour is needed




EXAMPLE: HEAP-BASED ALGORITHM

Iteration $i=1$

Check heap
minimum

Empty, so a new
colour is needed

Min element:	finish at time 3
Heap	finish at time 3



EXAMPLE: HEAP-BASED ALGORITHM


Iteration $i=2$

Check heap
minimum

Check if finish time
3 is before s_2


No. New colour!

Min element:	finish at time 3
Heap	finish at time 3




EXAMPLE: HEAP-BASED ALGORITHM

Min element:	finish at time 3
Heap	finish at time 3
	finish at time 7





EXAMPLE: HEAP-BASED ALGORITHM


Min element:	finish at time 3
Heap	finish at time 3
	finish at time 7



EXAMPLE: HEAP-BASED ALGORITHM



EXAMPLE: HEAP-BASED ALGORITHM




Iteration $i=4$

Check heap
minimum

Check if finish time
3 is before s_4

Yes. **Reuse** colour,
deleteMin and
insert new finish
time into heap!




EXAMPLE: HEAP-BASED ALGORITHM



Min element: finish at time 5

Heap



finish at time 7
finish at time 5





EXAMPLE: HEAP-BASED ALGORITHM



EXAMPLE: HEAP-BASED ALGORITHM



EXAMPLE: HEAP-BASED ALGORITHM



```

1 Preprocess(A[1..n])
2   sort A by increasing start time
3   let s[1..n] be the start times in A
4   let f[1..n] be the finish times in A
5   return GreedyIntervalColouring(s, f)
6
7 GreedyIntervalColouring(s[1..n], f[1..n])
8   d = 1
9   colour[1] = 1
10  h = new minPQ
11  h.insert([f[1], colour[1]])
12
13  for i = 2..n
14    (fc, c) = h.min()
15    if fc <= s[i] then
16      h.deleteMin()
17      colour[i] = c
18    else
19      d++
20      colour[i] = d
21      h.insert([f[i], colour[i]])
22
23  return d

```

$O(\log S)$ where
 $S = \text{size}(\text{priority queue})$

$O(1)$

$O(1)$

$O(\log D)$

$O(\log D)$

Total $\Theta(n \log n) + \Theta(n \log D)$

Since $n \geq D$, $\Theta(n \log n)$

DYNAMIC PROGRAMMING

What?

—Richard Bellman, *Eye of the Hurricane: An Autobiography* (1984, excerpts from page 159)


Where did the name, dynamic programming, come from? The 1950s were not good years for mathematical research.

We had a very interesting gentleman in Washington named Wilson. He was Secretary of Defense, and he actually had a pathological fear and hatred of the word "research"... He would turn red, and he would get violent if people used the term research in his presence. You can imagine how he felt, then, about the term mathematical.

I felt I had to do something to shield Wilson ... from the fact that I was really doing mathematics... What title, what name, could I choose? In the first place I was interested in planning, in decision making, in thinking. But planning, is not a good word for various reasons. I decided therefore to use the word "programming." I wanted to get across the idea that this was "dynamic," this was multistage, this was time-varying. I thought, let's kill two birds with one stone.

I thought dynamic programming was a good name. It was something not even a Congressman could object to.

"Bottom-up recursion" might also a reasonable name, as we'll see...



COMPUTING FIBONACCI NUMBERS INEFFICIENTLY

A TOY EXAMPLE TO COMPARE D&C TO DYNAMIC PROGRAMMING

```
1 BadFib(n)
2   if n == 0 or n == 1 then return n
3   return BadFib(n-1) + BadFib(n-2)
```



RUNTIME

- In unit cost model
 - (UNREALISTIC!)

```
1 BadFib(n)
2   if n == 0 or n == 1 then return n
3   return BadFib(n-1) + BadFib(n-2)
```

- $T(n) = T(n - 1) + T(n - 2) + O(1)$
 - $T(n) \geq 2T(n - 2) + O(1)$
 - $T(n) \leq 2T(n - 1) + O(1)$


This $O(1)$ would change in the bit complexity model

- $n/2$ levels of recursion for the first expression
- n levels for the second expression
- Work doubles at each level
- $T(n)$ is certainly in $\Omega(2^{n/2})$ and $O(2^n)$

WHY IS THIS SO SLOW?

- Subproblems have LOTS of overlap!
- Every subtree on the right appears on the left
- ... recursively ...
- Each subtree is computed **exponentially** often in its depth

The Recursion Tree to Evaluate f_5 :



This **overlap** suggests dynamic programming may be able to help! 64

Designing Dynamic Programming Algorithms for Optimization Problems

(Optimal) Recursive Structure

Examine the structure of an optimal solution to a problem instance I , and determine if an optimal solution for I can be expressed in terms of optimal solutions to certain **subproblems** of I .

Define Subproblems

Define a set of subproblems $\mathcal{S}(I)$ of the instance I , the solution of which enables the optimal solution of I to be computed. I will be the last or largest instance in the set $\mathcal{S}(I)$.

Designing Dynamic Programming Algorithms (cont.)

Recurrence Relation

Derive a **recurrence relation** on the optimal solutions to the instances in $\mathcal{S}(I)$. This recurrence relation should be completely specified in terms of optimal solutions to (smaller) instances in $\mathcal{S}(I)$ and/or base cases.

Compute Optimal Solutions

Compute the optimal solutions to all the instances in $\mathcal{S}(I)$. Compute these solutions using the recurrence relation in a **bottom-up** fashion, filling in a table of values containing these optimal solutions. Whenever a particular table entry is filled in using the recurrence relation, the optimal solutions of relevant subproblems can be looked up in the table (they have been computed already). The final table entry is the solution to I .

SOLVING FIB USING DYNAMIC PROGRAMMING

- (Optimal) Recursive Structure
 - Solution to n -th Fibonacci number $f(n)$ can be expressed as the addition of smaller Fibonacci numbers
 - No notion of **optimality** for this particular problem
- Define Subproblems
 - The set subproblems that will be combined to obtain $Fib(n)$ is $\{Fib(n - 1), Fib(n - 2)\}$
 - $S(I) = \{Fib(0), Fib(1), \dots, Fib(n)\}$
- Recurrence Relation

$f(n) = \begin{cases} f(n - 1) + f(n - 2) & : i \geq 2 \\ 1 & : i = 1 \\ 0 & : i = 0 \end{cases}$

- Computing (Optimal) Solutions
 - Create **table f[1..n]** and compute its entries “**bottom-up**”

FILLING THE TABLE “BOTTOM-UP”

- Key idea:
 - When computing a table entry
 - Must have **already computed** the **entries** it depends on!
- Dependencies
 - Extract directly from recurrence
 - Entry n depends on $n-1$ and $n-2$
- **Computing entries in order $1..n$** guarantees $n-1$ and $n-2$ are already computed when we compute n



DP SOLUTION

```
1 FibDP(n)
2   f = new array of size n
3
4   f[0] = 0
5   f[1] = 1
6
7   for i = 2..n
8     f[i] = f[i-1] + f[i-2]
9
10  return f[n]
```

```
1 FibDP(n)
2   fi2 = 0
3   fi1 = 1
4
5   for i = 2..n
6     temp = fi
7
8     fi = fi1 + fi2
9
10    fi2 = fi1
11    fi1 = temp
12
13  return fi
```

represents f[i-2]

represents f[i-1]

Save f[i] before
overwriting it (so
its value can be
stored in f[i-1]
later)

Contains f[n]

This is still considered to be
dynamic programming...
We've just optimized out the table.

- **Space saving** optimization:
 - We never look at f[i-3] or earlier
 - Can make do with a few variables instead of a table

CORRECTNESS

- **Step 1**

- Order 0..n means $i-1$ and $i-2$ are already computed when we compute i

- Prove that when computing a table entry, dependent entries are **already computed**

- **Step 2** (similar to D&C)

- Suppose subproblems are solved correctly (optimally)
- Prove these (optimal) subsolutions are combined into a(n optimal) solution

- Suppose $f[i-1]$ and $f[i-2]$ are the $(i-1)$ th and $(i-2)$ th Fib #s
- Then prove $f[i] =$ the n -th Fib #

```
1 FibDP(n)
2   f = new array of size n
3
4   f[0] = 0
5   f[1] = 1
6
7   for i = 2..n
8     f[i] = f[i-1] + f[i-2]
9
10  return f[n]
```

MODEL OF COMPUTATION FOR RUNTIME

- Unit cost model is **not very realistic** for this problem, because Fibonacci numbers grow quickly
 - $F[10]=55$
 - $F[100]=354224848179261915075$
 - $F[300]=222232244629420445529739893461909967206666939096499764990979600$
 - Value of $F[n]$ is exponential in n : $f_n \in \Theta(\phi^n)$ where $\phi \cong 1.6$
 - ϕ^n needs $\log(\phi^n)$ bits to store it
 - So $F[n]$ needs $\Theta(n)$ bits to store!

But let's use unit cost anyway for simplicity

RUNNING TIME (UNIT COST)

- $T(n) \in \Theta(n)$

```
1 FibDP(n)
2   f = new array of size n
3
4   f[0] = 0
5   f[1] = 1
6
7   for i = 2..n
8       f[i] = f[i-1] + f[i-2]
9
10  return f[n]
```


A BRIEF ASIDE

- Is this **linear runtime**?
- NO! This is “**a linear function of n** ”
- When we say “**linear runtime**” we mean “**a linear function of the input size**”
- What is the input size S ?
 - The input is the number n .
 - How many bits does it take to store n ?
 $O(\log n)$
 - **So $S = \log n$ bits**

Express $T(n)$ as a function of the input size S (in bits)

$$\begin{aligned} T(n) &\in \Theta(n) \\ 2^S &= 2^{\log n} = n \\ \text{So } T(n) &\in \Theta(2^S) \end{aligned}$$

This algorithm is **exponential** in the input size!

... but still exponentially faster than $2^{n/2}$

ROD CUTTING

A "REAL" DYNAMIC PROGRAMMING EXAMPLE

Input:

$$n = 4$$

n : length of rod

length i	1	2	3	4
price p_i	1	5	8	9

p_1, \dots, p_n : $p_i =$ price of a rod of length i

Output:

Max **income** possible by cutting the rod of length n into any number of **integer** pieces (maybe **no** cuts)

All ways of cutting a rod of length 4




Example output: 10



DYNAMIC PROGRAMMING APPROACH

- High level idea (**can just think recursively to start**)
 - Given a rod of length n
 - Either make no cuts,
or make a cut and **recurse** on the remaining parts




- **Where** should we cut?

WE STOPPED HERE

RECURRENCE RELATION

Critical step! Must define what $M(k)$ means, semantically!


- Define $M(k)$ = maximum income for rod of length k
- If we do **not** cut the rod, max income is p_k
- If we **do** cut a rod **at** i



- max income is $M(i) + M(k - i)$
- Want to maximize this **over all** i
 - $\max_i \{M(i) + M(k - i)\}$ (for $0 < i < k$)
- $M(k) = \max\{p_k, \max_{1 \leq i \leq k-1} \{M(i) + M(k - i)\}\}$

COMPUTING SOLUTIONS BOTTOM-UP

- **Recurrence:** $M(k) = \max\{p_k, \max_{1 \leq i \leq k-1}\{M(i) + M(k-i)\}\}$
- Compute **table** of solutions: $M[1..n]$



- Dependencies: **entry k** depends on
 - $M[i] \rightarrow M[1..(k-1)]$
 - $M[k-i] \rightarrow M[1..(k-1)]$
 - All of these dependencies are $< k$
- So we can fill in the table entries in order $1..n$

Recall, semantically, $M(k)$ = maximum income for rod of length k

$$\text{Recurrence: } M(k) = \max\{p_k, \max_{1 \leq i \leq k-1}\{M(i) + M(k-i)\}\}$$

```
1 RodCutting(n, p[1..n])
2   M = new array[1..n]
3
4   // compute each entry M[k]
5   for k = 1..n
6     M[k] = p[k] // current best = no cuts
7
8     // try each cut in 1..(k-1)
9     for i = 1..(k-1)
10      M[k] = max(M[k], M[i] + M[k-i])
11
12   return M[n]
```

Time complexity
(unit cost)?

$\Theta(n^2)$

Is this a “quadratic time” algorithm?

MISCELLANEOUS TIPS

- Building a table of results bottom-up is what makes an algorithm DP
- There is a similar concept called **memoization**
 - But, for the purposes of this course, we want to see bottom-up table filling!
- Base cases are **critical**
 - They often completely determine the answer
 - Try setting $f[0]=f[1]=0$ in FibDP...