

CS 200

Lecture 02

Structured Word Processing — Styles

This week's fun video

<https://www.youtube.com/watch?v=dTAAsCNK7RA>

Miscellaneous Notes

Assigned reading

- “The Non–Designer’s Design Book,” by Robin Williams (chapters 1-6)
- “Adobe on Basic Typography” (<https://www.student.cs.uwaterloo.ca/~cs200/Adobe/main.html>)

Please read and highlight *before* this week’s lab

- Assignment 2 (due Monday May 25 at 11:59 pm)
- Notes for this lecture

Today and Thursday

- [named] styles
- the Poke pearl
- backups

Don’t forget to download the Microsoft Office Suite.

You will not be able to do this assignment on the web version of Word.

Assumptions

You have used a word processor before

You understand and correctly use the following WP tools

- Word Wrap (hard carriage return vs. soft carriage return)
- Cut/Copy and Paste
- Font usage (size, style and typeface)
- Rulers and Margins
- Proper use of tabs
- Headers and footers (page numbering)
- Footnotes

Things to Think About

- What are the data objects in a Word Processor?
- Is there more than one way to do any given task?
- What are deficiencies of the interface?
- What are efficiencies of the interface?

[Named] Styles (1)

The idea

- name a collection of paragraph or character attributes
- you then apply the NAME to text instead of individually setting attributes

Hence changing a document's appearance is

- easier & faster, more accurate (\Rightarrow consistency, if used intelligently)
- — you just change the definition of the name; everywhere it's used, text changes

Does appearance matter? \rightarrow Yes!

- legibility
- understandability
- professionalism

Named Styles (2)

Terminology

- **Attributes:** Helvetica, Palatino, bold, italic, underlined, red, 15 pt leading, etc. are *attributes*
- **[Named Style]:** A *(named) style* is a (specific) “bundle of attributes”
- We usually specify that it is a “named style” for emphasis/clarity
 - ex. “Heading” could be a named style with attributes “24 pt Myriad Pro Light with 12 pts of Before Paragraph leading & 2 cm of left indent”





Compare this and the preceding slide

Terminology Attributes: Helvetica, Palatino, bold, italic, underlined, red, 15 pt leading, etc. are attributes [Named Style]: A (named) style is a (specific) “bundle of attributes” We usually specify that it is a “named style” for emphasis/clarity ex. “Heading” could be a named style with attributes “24 pt Myriad Pro Light with 12 pts of Before Paragraph leading & 2 cm of left indent”

“Invisible” (aka “non-printing”) characters


See **Word’s Preferences > View** dialog

Or, press  from Word’s Home menu



Demo 1

The text being formatted



The style definitions (built-in & user-defined)

Block

Font:(Default) Times, 12 pt, English (US), Justified, Line spacing: single, Space Before: 6 pt, Widow/Orphan control

Block_Centered

Font:(Default) Times, 12 pt, English (US), Centered, Line spacing: single, Widow/Orphan control, No bullets or numbering

Default Paragraph Font

The font of the underlying paragraph style +

Emphasis_Slight

Default Paragraph Font + Font:Italic

Figure_Caption

Font:(Default) Times, 10 pt, English (US), Indent: Left: 0.39", Right: 0.39", Justified, Line spacing: exactly 12 pt, Space Before: 6 pt, Widow/Orphan control

Footer

Font:(Default) Times, 10 pt, English (US), Left, Line spacing: single, Widow/Orphan control, Tabs: 3.25", Centered + 6.5", Right

Footnote Reference

Default Paragraph Font + Superscript

Footnote Text

Font:(Default) Times, 10 pt, English (US), Justified, Line spacing: exactly 10 pt, Space Before: 4 pt, Widow/Orphan control

Header

Font:(Default) Times, 10 pt, English (US), Left, Line spacing: single, Widow/Orphan control, Tabs: 3.25", Centered + 6.5", Right

Heading 1

Style for Next Paragraph: Block, Font:(Default) Times, 12 pt, Bold, English (US), Centered, Line spacing: single, Space Before: 14 pt, Widow/Orphan control, Keep with next, Level 1

Heading 2

Style for Next Paragraph: Block, Font:(Default) Times, 12 pt, Bold, English (US), Left, Line spacing: single, Space Before: 10 pt, Widow/Orphan control, Keep with next, Level 2


Instruction

Style for Next Paragraph: Instruction_Expl, Font:(Default) Courier, 11 pt, English (US), Indent: Left: 0.2", Left, Line spacing: single, Space Before: 6 pt, Widow/Orphan control, Keep with next


...

Showing Style Usage in MS Word

Word > Preferences...



The text being formatted





In Draft view, the “style area width” controls the width of the style name column in the doc display; if it’s zero, the style name column vanishes.

In Draft view, View > Reveal Formatting to enable the (yellow) Formatting popup

Showing Style Usage in MS Word cont'd

Word > Styles Pane...



Indirection

The underlying concept is indirection

- referring to something through something else

Indirection is useful in many contexts, including...

- drawing programs (object properties)
- HTML (tags in web pages; CSS)
- electronic mail (aliases, forwards)
- spreadsheets (named cells/ranges)

Remember the Model pearl?

Naming Named Styles

Style names should reflect function, not appearance

“Quotation” not “Indented Paragraph”

“Emphasis” not “Bold”

“List Item” not “Bulleted Paragraph”

Style names

should be chosen **logically**


— **NOT** based on their appearance

so if you change the appearance,
you don't have to change the name,
and you avoid confusion

Hierarchical Styles

The idea


- style B is “everything style A is, except for . . .”
- style C is “everything style B is, except for . . .”
- etc.



Hierarchical Styles cont'd

When you change an attribute of A's definition

- styles *based* on A change, too, unless that attribute has been explicitly set for the derived style




Hierarchical Styles Relativity

There are choices in how to implement some aspects of this;
eg, if I change B's font size, is the new value

- absolute (MS Word), or relative to the size of A?
- does changing A's size later automatically change B's?
- by a fixed number of points, or by a percentage?

Ditto with paragraph indents

Etc.



Hierarchical Styles — Comments


Comments

- this is a MODEL of named styles, though with parameters
- there's no point to this unless parent and child styles:
 - share some attributes
 - but not others
- you might have a forest instead of a tree
(our previous example had no hierarchy at all — a forest of flat trees, so to speak)

In the “Files for Styles Lectures” under Week 2: Styles on Learn, compare

- User Manual Extract (Tree)
- User Manual Extract (Forest)

The Paragraph Styles Tree for User Manual Extract



A Paragraph Style Sheet for UME.doc Using Multiple Trees

Built-in styles

*(The **names** are built-in, however the **definitions** have been altered)*

Default Paragraph Font
The font of the underlying paragraph style +
Footer
Normal + Font:10 pt, Right: 0.25", Tabs: 3.25", Centered + 6.5", Right
Footnote Reference
Default Paragraph Font + Superscript
Footnote Text
Normal + Font:10 pt, Justified, Line spacing: exactly 10 pt, Space Before: 4 pt
Header
Normal + Tabs: 3", Centered + 6", Right
Heading 1
Style for Next Paragraph: Block Heading_Abstract + Font:Bold, Centered, Space Before: 14 pt, Keep with next, Level 1
Heading 2
Style for Next Paragraph: Block Heading_Abstract + Font:Bold, Space Before: 7 pt, Keep with next, Level 2
No List
No List +
Normal
Font:(Default) Times New Roman, 12 pt, English (US), Left, Line spacing: single, Space Before: 3 pt, Widow/Orphan control
Page Number
Default Paragraph Font +
Table Normal
Font:(Default) Times New Roman, 10 pt, Left, Line spacing: single, Widow/Orphan control

User-defined styles

Block
Body_Abstract + Justified, Space Before: 6 pt
Block_Centered
Block + Centered, Numbered
Body_Abstract
Normal +
Emphasis_Slight
Default Paragraph Font + Font:Italic
Figure_Caption
Body_Abstract + Font:10 pt, Indent: Left: 0.39", Right: 0.39", Justified, Line spacing: exactly 12 pt, Space Before: 6 pt
Heading_Abstract
Normal +
Instruction
Style for Next Paragraph: Instruction_Expl Body_Abstract + Font:Courier, 11 pt, Indent: Left: 0.2", Space Before: 6 pt, Keep with next
Instruction_Expl
Body_Abstract + Indent: Left: 0.44", Numbered
Instruction_Item
Style for Next Paragraph: Instruction_Expl Body_Abstract + Font:10 pt, Indent: Left: 0.63", Hanging: 0.19", Line spacing: exactly 12 pt
Item
Body_Abstract + Indent: Left: 0.19", Hanging: 0.19", Space Before: 6 pt
MenuItem
Body_Abstract + Font:Courier, 11 pt, Indent: Left: 0.19", Line spacing: exactly 12 pt, Space Before: 9 pt, Numbered
MenuItem_Expl
Body_Abstract + Indent: Left: 0.44"
Operand
Body_Abstract + Indent: Left: 0.25"
Operand_Expl
Body_Abstract + Indent: Left: 0.56", Space Before: 6 pt
•• <i>Demo 2!</i>

Character Styles

Should character attributes be part of a paragraph style definition?

Are character styles hierarchical?

- yes in MS Word
- no in FrameMaker
- yes in Nisus Writer Express & Nisus Writer Pro
- yes in Adobe InDesign

Are character styles used to specify the (default) character attributes of paragraph styles?

- no in MS Word
- optionally in Nisus Writer Express & Pro

Incidentally, if you own a Mac, Nisus Writer Pro is a very nice \$39 US (ed) word processor (www.nisus.com).

Tables-of-Contents (TOCs)

What's our model of a TOC? (example on the next slide)

Steps to create a table-of-contents

- identify paragraph styles from which to build the TOC
 - ex. Heading 1, Heading 2, Heading 3, etc, in Word
- specify a TOC style for each TOC level
 - TOC 1, TOC 2, TOC 3, etc, in Word
- build the TOC (most word processors do this for you)
 - copy paragraphs with specified paragraph style tags into the TOC
 - apply the corresponding TOC style to each
 - *Heading 1 to TOC 1, Heading 2 to TOC 2, Heading 3 to TOC 3, etc.*
 - append a tab character & page number to each
- modify the TOC styles to get the desired layout
- rebuild the TOC whenever appropriate

Note the application of two distinct styles to each piece of text

Demo — The TOC for User Manual Extract

Menu Commands in the Machine Emulator (GEM)¹

GEM initially displays two windows.

- The “cpu window” shows the contents of the cpu registers. On Unix and Windows machines, it contains a menu bar from which the emulator can be controlled. (On Macintoshes, these menus are appended to the menu bar at the top of the screen.)
- the “memory window” shows a scrollable display of the contents of memory.

File Menu (ROM Menu on the Macintosh)

Load

Use this command to load a relocateable object module into memory. (Such “rom files” are created by the assembler gal.exe when it translates an assembly program into machine language).

Reload

Use this command to reload into memory the contents of the last previous relocateable object module loaded. This provides a convenient, minimum-effort way to re-execute a program.

Quit

Terminate execution of the emulator.

Execute Menu

Step

Execute a single instruction and stop. Clicking on the cpu window’s Step button is equivalent to selecting this menu item.

When you execute an instruction, certain mnemonic labels are displayed in the cpu and memory windows to help you keep track of what’s happening:

- The letters P and N label the “previous” and “next” instructions. The previous instruction is the instruction you have just executed. The next instruction is the instruction that will be executed next, that is, the instruction whose address is in the program counter. These labels are particularly useful when you have just executed a jump instruction.
- The letter S labels any register or memory word that supplied a source operand for the instruction just executed.
- The letter D labels the register or memory word, if any, into which a result value was stored by the instruction just executed.
- The letter I will label a register if the instruction just executed referenced an operand indirectly through it.

Run

Execute program instructions continuously, one right after the other. Clicking on the cpu window’s Run button is equivalent to selecting this menu item.

Table of Contents

Menu Commands in the Machine Emulator (GEM)	1
File Menu (ROM Menu on the Macintosh)	1
Execute Menu	2
Display Menu.....	2
GEM’s Architecture	4
Program Counter.....	4
Instruction Register.....	4
Memory.....	4
CPU Registers.....	4
Condition Code Register.....	4
The Instruction Set and Assembly Syntax	5
Data Movement.....	5
Arithmetic / Logical Instructions	7
Flow-of-Control	8
Pseudo-Instructions.....	9
The Trap Instruction	11
Trap #1 — Reading an Integer.....	11
Trap #2 — Write an integer to the listing and to the display, base 10.....	11
Trap #3 — Write an integer to the listing, base 10.....	11
Trap #4 — Write an integer to the listing and to the display, in some radix.....	11
Trap #5 — Write an integer to the listing, in some radix	12
Trap #6 — Read a string	12
Trap #7 — Write a string to the display and to the listing.....	12
Trap #8 — Write a string to the display and to the listing.....	12
Comments	13

Conditional Text





Display or not display
Print or not print

- in MS Word these are separate attributes
- is that a good idea?

Look up “Hidden Text” in Word’s help index

Word only implements one class of conditional text


- but it makes sense to have more
- you can simulate having more than one class of conditional text using named styles



*How would
you do this?*

The Format > Style... Dialog in Word

Format → Style...



Interaction techniques


*A preview checkbox would be better.
& everywhere—not just here.*

The Format > Style... > Modify Style sub-dialog


Recall the Model Pearl (interaction)

- Nested dialog boxes
+ radio buttons, check boxes, etc.
- Which is better? Should you have k

Use this dropdown menu
to change more attributes



The Format > Style... > Organizer sub-dialog





Word's Format > Paragraph dialog box

Not all paragraph attributes are available in this dialog



ex. bullets, borders...

although they belong here



when/why “Exactly?”

Word's Format > Font... (ie. Character) dialog box



Style Templates


Store style definitions in a separate “**template**” or “**style sheet**” file

Use templates to keep styles consistent across multiple documents

- each such document is linked to the template
- when the template is changed, the appearance of every linked document
 - changes automatically? (optional in MS Word)
 - or do you have to *request* an update? (Keynote)

Another data model...

Tools → Templates and Add-ins...



Style Templates in MS Word

Every document is based on a template (“Normal” by default)

- apparently in the “~ / Documents / Microsoft User Data / “ folder...
(instead of ~ / Library / Application Support / Microsoft ... sigh)
- whose styles are copied to the document

To use a different base template



- use the “Attach” button in the Tools → Templates and Add-ins... dialog box

To have Word reload the template’s styles every time you open the document

- check “Automatically Update Document Styles” in the Tools → Templates and Add-ins... dialog box

To cause a style change applied in a document to update its template definition

- Use the “Add to template” button in the Modify Styles dialog box, or change it directly in the template



Things That May Confuse You in MS Word

Character attributes in paragraph styles

- are a matter of convenience
- when done, one set of character attributes is a property of the paragraph *as a whole*

The Style Column

- is visible only in Outline or Draft View, not Web Layout or Print Layout

Some paragraph attributes

- are in “auxiliary” dialog boxes instead of the paragraph dialog box even though they *are* paragraph attributes
- ex. borders, bullets, numbering, shading

Paragraph attributes

- are “stored in” the ¶ at the end of each paragraph
- are automatically copied to a new paragraph if you press RETURN
- you can copy/paste this character to transfer its attributes to another paragraph

The Case For Styles

It's easier / quicker to change

- the appearance of an existing document
- determine the appearance of a conforming document

They make it easier to achieve consistent appearance

- within a document
- using templates, across documents

You can switch media much more easily

The Case Against

It takes longer to get started

Application Interface and Design

In well-designed applications you can do everything via

- menu items
- dialog boxes opened by a menu item
- a toolbar opened from a menu item
 - Why?

Often there are other ways of doing things

- typically faster but more obscure
 - Why?

Are there other ways to

- DEFINE named styles in Word?
- APPLY named styles In Word?

Explore the Styles pull-down in the Formatting toolbar

- (The Poke pearl)

Styles & Style Templates (aka “Style Sheets”) Elsewhere

These ideas are applicable *anywhere you have objects with attributes*, though the term may not be used

- graphics applications
- printing
- web pages



Huh? Think about this...

So look for them!

Next Week

Pixel Graphics

Have a digital photo ready for lab next week.